



Features:

EUROLITE AKKU Mini IP UP-4 QCL Spot MK2

Mini battery uplight IP65 with RGBW LEDs and IR remote control

- Cordless, flexible and versatile
- Battery operation up to 9h depending on program used
- Integrated automatic charging of the battery and status indicator
- 4 LEDs 4 W 4in1 RGBW (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable
- Strobe effect; uplight effect
- Direct color selection for 10 preset colors
- The device is cooled by passive convection cooling
- Control via sound to light via microphone; stand-alone; IR remote control
- Flicker-free
- With a beam angle of 15°
- 4 digit 7-segment LED display
- Suitable for outdoor use IP65
- For application areas such as: Architecture; decoration; wedding/gala/events; mobile djs / entertainer; restaurants, bars and hotels; rental; advertisement/Shop window
- Application possibility: Standing
- Silent operation

Logistic

EAN / GTIN: 4026397711837

Weight: 9,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

EUROLITE Soft Bag for 6x AKKU Mini IP UP-4 QCL Spot MK2

Nylon transport bag

- With 6 device compartments
- With accessory compartment
- High-quality workmanship with nylon , black
- Interior with foam padding
- 2 carrying straps
- For application areas such as: Mobile use

Technical specifications:

Weight:	7.53 kg
---------	---------

EUROLITE AKKU Mini IP UP-4 QCL Spot MK2

Power supply:	5V 1600 mA
IP classification:	IP65
Protection class:	Protection class III
Power connection:	Battery/battery pack Mains input via USB C (W) mounting version
Battery pack type:	1 x lithium ion 11.1 V, 3200 mAh, 35.52 Wh
Battery pack:	Battery operation up to 9h depending on program used Recharging time 5h
Lamp type:	LED lamp
LED type:	4 x 4 W 4in1 RGBW (homogenous color mix)
Flash rate:	1 - 20 Hz
Cooling:	Passive convection cooling
Control:	Sound to light via microphone; stand-alone; IR remote control
Projection:	Flicker-free
Beam angle:	15°
Beam angle (1/2 peak):	15°
Beam angle (1/10 peak):	30°
Housing color:	Black
Display type:	4 digit 7-segment LED display
Dimensions:	Length: 10 cm Width: 11 cm Height: 12 cm
Weight:	1.17 kg
Noise classification:	Class 0 (no noise at all)
Battery:	1 x button cell CR2025

EUROLITE Soft Bag for 6x AKKU Mini IP UP-4 QCL Spot MK2

Maximum load:	25 kg
Carrying strap:	2 pc/pcs
Material:	Nylon, water repellent
Color:	Black
Device compartment:	9.5 cm x 11 cm x 13 cm
Accessory compartment:	5 cm x 23 cm x 13 cm
Dimensions:	Length: 43.5 cm Depth: 29 cm Height: 16 cm
Weight:	0.51 kg
Lock:	Zippers

Scope of delivery:

6 x EUROLITE AKKU Mini IP UP-4 QCL Spot MK2

1 x light effect
1 x remote control
1 x USB cable
1 x user manual

1 x EUROLITE Soft Bag for 6x AKKU Mini IP UP-4 QCL Spot MK2

1 x bag