EUROLITE Set 3x AKKU PT-100/32 Pixel DMX Tube + Soft Bag

Art. No.: 20001019

GTIN: 4026397720167











Features:

EUROLITE AKKU PT-100/32 Pixel DMX Tube

Battery-powered and DMX-controllable pixel tube with RGB color mixing

- Rugged metal housing
- Cordless, flexible and versatile
- Battery operation up to 9h depending on program used
- 96 LEDs SMD 5050 3in1 RGB (homogenous color mix)
32 segments controlled separately
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic
- Strobe effect
- 12 integrated show programs
- Direct color selection for 17 preset colors
- Can be operated in 3; 5; 8; 48; 96 CH mode
- The device is cooled by passive convection cooling
- Control via stand-alone; IR remote control; DMX; master/slave function; sound to light via microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- 4 digit 7-segment LED display
- For application areas such as: Architecture; stage; decoration; wedding/gala/events; mobile djs / entertainer; party room; restaurants, bars and hotels
- Silent operation
- Application possibility: Standing; suspended; wall mounting

Logistic

EAN / GTIN: 4026397720167
Weight: 10,50 kg
Length: 0.00 m
Width: 0.00 m
Heigth: 0.00 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

EUROLITE Soft Bag for 6x LED Party Tube IR

Nylon transport bag

- Made of easy-care nylon
- Interior with foam padding
- 2 carrying straps

Technical specifications:

Weight:	8.40 kg

EUROLITE AKKU PT-100/32 Pixel DMX Tube

Power supply:	100-240 V AC, 50/60 Hz 13V DC
Pin configuration:	Inside + / outside -
Protection class:	Protection class III
Power connection:	Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided) Battery/battery pack
Battery pack type:	1 x lithium ion 11.1 V, 4400 mAh, 48.84 Wh
Battery pack:	Battery operation up to 9h depending on program used Recharging time 1.5h
Lamp type:	LED lamp
LED type:	96 x SMD 5050 3in1 RGB (homogenous color mix)
Flash rate:	0.2 - 10 Hz
DMX channels:	3; 5; 8; 48; 96
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; IR remote control; DMX; master/slave function; sound to light via microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Fixtures available for:	Light Captain; Light´J
PWM frequency:	2000 Hz
Housing color:	Black
Display type:	4 digit 7-segment LED display
Dimensions:	Length: 100 cm Width: 5 cm Depth: 12.7 cm
Weight:	2.50 kg
Noise classification:	Class 0 (no noise at all)

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in

EUROLITE Soft Bag for 6x LED Party Tube IR

Maximum load:	25 kg
Carrying strap:	2 pc/pcs
Color:	Black
Device compartment:	100 cm x 22 cm x 13 cm
Dimensions:	Length: 118 cm Width: 27 cm Height: 16 cm
Weight:	0.90 kg

Scope of delivery:

1 x device
1 x user manual
1 x external mains adapter
1 x stand
1 x remote control
1 x battery

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.